

SCALE


Digital Scales



- Free AAA (2pcs) - Stainless Platter

ED105 (Plastic Platter)
Capacity : 3 kg x 1g
Size : 12x12 cm
Power : 2 x AAA

ED106 (Stainless Platter)
Capacity : 10Kg x 1g
Size : 3x15.5x21cm
Power : 2 x AAA



- Stainless Platter


ED104
Capacity : 6 kg x 2g
Size : 29.4x21.5 cm
Rechargeable Battery



- Waterproof Scale
- 2 Screens

ED102
Capacity : 6 kg x 0.2g
Size : 29.4x34x10.9 cm
Rechargeable Battery

ED103
Capacity : 15kg x 0.5g
Size : 29.4x34x10.9 cm
Rechargeable Battery



- Remote Display
- Serial Port

ED101
Capacity : 60 kg x 10g
Size : 40x75x56 cm
6VDC 500mA center positive adapter or 4xAA batteries

Spring Scales



ED36
Capacity : 500g x 2g



ED33
Capacity : 3 kg x 10g



ED35
Capacity : 5 kg x 20g



ED34
Capacity : 20 kg x 100g

FOOD PROCESSORS

Cutters & Vegetable Slicer

robot coupe



ERC33 (R201XL)
Power : 550 W
Voltage : Single phase
Speed : 1,500 rpm
Cutter Bowl : 2.9 L
(Polycarbonate)
Cutter Function : Smooth Blade
Veg. Prep. Function : Disc 2 mm
Slicer & grater



ERC34 (R211XL)
Power : 550 W
Voltage : Single phase
Speed : 1,500 rpm
Cutter Bowl : 2.9 L
(Polycarbonate)
Cutter Function : Smooth Blade
Veg. Prep. Function : -
Disc not included



ERC35 (R211XL Ultra)
Power : 550 W
Voltage : Single phase
Speed : 1,500 rpm
Cutter Bowl : 2.9 L
(Stainless Steel)
Cutter Function : Smooth Blade
Veg. Prep. Function : -
Disc not included



FOOD PROCESSORS

Cutters & Vegetable Slicer



ERC37 (R301)
 Power : 650 W
 Voltage : Single phase
 Speed : 1,500 rpm
 Cutter Bowl : 3.7 L
 (Polycarbonate)
 Cutter Function : Smooth Blade
 Veg. Prep. Function : -
 Disc not included



ERC38 (R301 Ultra)
 Power : 650 W
 Voltage : Single phase
 Speed : 1,500 rpm
 Cutter Bowl : 3.7 L
 (Stainless Steel)
 Cutter Function : Smooth Blade
 Veg. Prep. Function : -
 Disc not included



ERC41 (R401)
 Power : 700 W
 Voltage : Single phase
 Speed : 1,500 rpm
 Cutter Bowl : 4.5 L
 (Stainless Steel)
 Cutter Function : Smooth Blade
 Veg. Prep. Function : -
 Disc not included



ERC42 (R402)
 Power : 750 W
 Voltage : Single phase
 Speed : 2 Speeds, 500/1,500 rpm
 Cutter Bowl : 4.5 L
 (Stainless Steel)
 Cutter Function : Smooth Blade
 Veg. Prep. Function : -
 Disc not included



ERC43 (R402 VV)
 Power : 1,000 W
 Voltage : Single phase
 Speed : Variable speed,
 300-3,500 rpm in cutter option
 300-1,000 rpm in Veg. prep.
 Function
 Cutter Bowl : 4.5 L
 (Stainless Steel)
 Cutter Function : Smooth Blade
 Veg. Prep. Function : -
 Disc not included



ERC46 (R502)
 Power : 1,000 W
 Voltage : Three phase
 Speed : 2 Speeds, 750/1500 rpm
 Cutter Bowl : 5.5 L
 (Stainless Steel)
 Cutter Function : Smooth Blade
 Veg. Prep. Function : -
 Disc not included

FOOD PROCESSORS

Cutters & Vegetable Slicer



ERC47 (R502VV)
 Power : 1,300 W
 Voltage : Single phase
 Speed : Variable speed,
 300-3,500 rpm in cutter option
 300-1,000 rpm in Veg. prep.
 Function
 Reverse speed 60-500 rpm
 to mix gently the ingredients
 Cutter Bowl : 5.5 L
 (Stainless Steel)
 Cutter Function : Smooth Blade
 Veg. Prep. Function : -
 Disc not in cluded



ERC66 (R652)
 Power : 1,200 W
 Voltage : Three phase
 Speed : 2 speeds, 750/1500 rpm
 Cutter Bowl : 7 L
 (Stainless Steel)
 Cutter Function : Smooth Blade
 Veg. Prep. Function : -
 Disc not in cluded



ERC65 (R652VV)
 Power : 1,500 W
 Voltage : Single phase
 Speed : Variable speed,
 300-3,500 rpm in cutter option
 300-1,000 rpm in Veg. prep.
 Function
 Reverse speed 60-500 rpm
 to mix gently the ingredients
 Cutter Bowl : 7 L
 (Stainless Steel)
 Cutter Function : Smooth Blade
 Veg. Prep. Function : -
 Disc not in cluded

VEGETABLE PREPARATION



ERC57 (CL40)
 Power : 500 W
 Voltage : Single phase
 Speed : 500 rpm
 Bowl Capacity : 1.56 L
 (Stainless Steel)
 Motor Base : Metal
 Veg. Prep. Function : -
 Disc not included



ERC8 (CL50)
 Power : 550 W
 Voltage : Single phase
 Speed : 375 rpm
 Bowl Capacity : 2.2 L
 (Metal)
 Motor Base : Polycarbonate
 Veg. Prep. Function : -
 Disc not included



ERC9 (CL50 Gourmet)
 Power : 550 W
 Voltage : Single phase
 Speed : 375 rpm
 Bowl Capacity : 2.1 L
 Motor Base : Stainless Steel
 Veg. Prep. Function : 2 Disc
 Brunoise or waffle cut to be selected

robot coupe®

VEGETABLE PREPARATION



ERC10 (CL52)
 Power : 750 W
 Voltage : Single phase
 Speed : 375 rpm
 Bowl Capacity : 4.2 L
 (Metal)
 Motor Base : Stainless Steel
 Veg. Prep. Function : -
 Disc not included



ERC81 (CL60)
 Power : 1,500 W
 Voltage : Three phase
 Speed : Two Speed, 375&750 rpm
 Bowl Capacity : 4.2 L
 (Pusher feed head)
 Motor Base : Metal
 Veg. Prep. Function : -
 Disc not included

robot coupe®

CUTTER MIXERS



ERC36 (R2)
 Power : 550 W
 Voltage : Single phase
 Speed : 1,500 rpm
 Bowl Capacity : 2.9 L
 (Stainless Steel)
 Motor Base : Induction motor,
 Polycarbonate motor base
 Cutter Function : Smooth Blade,
 Bowl with handle



ERC39 (R3-1500)
 Power : 650 W
 Voltage : Single phase
 Speed : 1,500 rpm
 Bowl Capacity : 3.7 L
 (Stainless Steel)
 Motor Base : Induction motor,
 Polycarbonate motor base
 Cutter Function : Smooth Blade,
 Bowl with handle



ERC44 (R4-1500)
 Power : 700 W
 Voltage : Single phase
 Speed : 1,500 rpm
 Bowl Capacity : 4.5 L
 (Stainless Steel)
 Motor Base : Induction motor,
 Metal motor base
 Cutter Function : Smooth Blade,
 Bowl with handle

CUTTER MIXERS



ERC63 (R5 Plus)
 Power : 1,200 W
 Voltage : Three phase
 Speed : 2 speeds,
 1,500/3,000 rpm
 Bowl Capacity : 5.5 L
 (Stainless Steel)
 Motor Base : Induction motor,
 Metal motor base. Pulse Function
 Cutter Function : Smooth Blade,
 Bowl with handle



ERC64 (R5VV)
 Power : 1,300 W
 Voltage : Single phase
 Speed : Variable speed,
 300-3,500 rpm
 Reverse speed 60-500 rpm to mix
 gently the ingredients
 Bowl Capacity : 5.5 L
 (Stainless Steel)
 Motor Base : Induction motor,
 Metal motor base. Pulse Function
 Cutter Function : Smooth Blade,
 Bowl with handle



ERC48 (R6VV)
 Power : 1,500 W
 Voltage : Single phase
 Speed : 300-3,500 rpm
 Bowl Capacity : 7 L
 (Stainless Steel)
 Motor Base : Induction motor,
 Metal motor base
 Cutter Function : Smooth Blade,
 Bowl with handle



ERC67 (R8)
 Power : 2,200 W
 Voltage : Three phase
 Speed : 2 speeds,
 1,500/3,000 rpm
 Bowl Capacity : 8 L
 (Stainless Steel)
 Motor Base : Induction motor,
 Pulse Function
 Cutter Function : 2 Smooth Blade,
 Bowl with handle



ERC70 (R10)
 Power : 2,600 W
 Voltage : Three phase
 Speed : 2 speeds,
 1,500/3,000 rpm
 Bowl Capacity : 11.5 L
 (Stainless Steel)
 Motor Base : Induction motor,
 Pulse Function
 Cutter Function : 3 Smooth Blade,
 Bowl with handle



ERC71 (R20)
 Power : 4,400 W
 Voltage : Three phase
 Speed : 2 speeds,
 1,500/3,000 rpm
 Bowl Capacity : 20 L
 (Stainless Steel)
 Motor Base : Induction motor,
 Pulse Function
 Cutter Function : 3 Smooth Blade,
 Bowl with handle

robot coupe®

BLIXERS



ERC1 (Blixer 2)
Power : 700 W
Voltage : Single phase
Speed : 3,000 rpm
Bowl Capacity : 2.9 L
(Stainless Steel)
Motor Base :
Induction motor,
Stainless steel motor shaft,
Pulse function
Blixer Function :
Fine-serrated blade,
Bowl with handle



ERC2 (Blixer 3)
Power : 750 W
Voltage : Single phase
Speed : 3,000 rpm
Bowl Capacity : 3.7 L
(Stainless Steel)
Motor Base :
Induction motor,
Stainless steel motor shaft,
Pulse function
Blixer Function :
Fine-serrated blade,
Bowl with handle



ERC3 (Blixer 4-3000)
Power : 900 W
Voltage : Single phase
Speed : 3,000 rpm
Bowl Capacity : 4.5 L
(Stainless Steel)
Motor Base :
Induction motor,
All Metal motor base,
Pulse function
Blixer Function :
Fine-serrated blade,
Bowl with handle



ERC5 (Blixer 4VV)
Power : 1,100W
Voltage : Single phase
Speed : Variable speed,
300-3,500 rpm
Bowl Capacity : 4.5 L
(Stainless Steel)
Motor Base :
Induction motor,
All metal motor base,
Pulse function
Blixer Function :
Fine-serrated blade,
Bowl with handle



ERC6 (Blixer 5 Plus)
Power : 1,300 W
Voltage : Single phase
Speed : 3,000 rpm
Bowl Capacity : 5.5 L
(Stainless Steel)
Motor Base :
Induction motor,
Stainless steel motor shaft,
All metal motor base
Blixer Function :
Fine-serrated blade,
Bowl with handle



ERC84 (Blixer 5VV)
Power : 1,400 W
Voltage : Single phase
Speed : Variable speed,
300-3,500 rpm
Bowl Capacity : 5.5 L
(Stainless Steel)
Motor Base :
Induction motor,
Stainless steel motor shaft,
All metal motor base
Blixer Function :
Fine-serrated blade,
Bowl with handle



ERC7 (Blixer 6VV)
Power : 1,500 W
Voltage : Three phase
Speed : Variable speed,
300-3,500 rpm
Bowl Capacity : 7 L
(Stainless Steel)
Motor Base :
Induction motor,
Stainless steel motor shaft,
All metal motor base,
Pulse function
Blixer Function :
Fine-serrated blade,
Bowl with handle

COOKING CUTTER BLENDER



ERC62

Power : 1,800 W
 Voltage : Single phase
 Speed : 5 speeds function

- Variable speed, from 100-3500 rpm
- High speed, turbo/pulse of 4500 rpm
- R-Mix blend speed, from -100 to -500 rpm
- Pulse , Variable speed
- Intermittent speed ,
 Slow speed blade rotation every 2 seconds

Heating capacity : Up to 140 c
 Precise temperature control : + or -1 C
 Bowl Capacity : 3.7 L Bowl with handle
 (Stainless Steel)
 Liquid capacity : 2.5 L
 Programing function : 9 Recipes

DISC



Slicers Disc Slicers Disc Julienne Disc

Grater Disc



ERC101
#27555
 0.2 cm



ERC102
#27566
 0.4 cm



ERC104
#27599
 0.2x0.2 cm



ERC103
#27577
 0.2 cm

Suit with
 R201XL, R201XL Ultra, R211XL, R211Ultra, R301,
 R301 Ultra, R401, R402, R402VV, CL40


Suit with
 R201XL, R201XL Ultra, R211XL,
 R211Ultra, R301, R301 Ultra,
 R401, R402, R402VV

Dicing equipment

Pack 8 Discs for Restaurants

ERC106 #1933

Slicer 0.2 cm Slicer 0.5 cm Grater 0.2 cm Julienne 0.3x0.3 cm



ERC105
#27114
 1x1x1 cm

Suit with
 CL40, R402, R402VV



Dicing equipment



1x1x1 cm



French Fries Equipment



1x1x1 cm



VEG PREP

SLICING



RIPPLE CUT



GRATING



JULIENNE



DICING*



FRENCH FRIES*



*for R 402 - R 402 V.V. - R 502 - R 502 V.V. - R 652 - R 652 V.V.

HAND MIXERS



ERC20 (Mini MP160VV)
 Power : 220 W
 Voltage : Single phase
 Speed : Variable speed, 2,000-12,500 rpm
 Tube length : 16 cm, All stainless steel
 Delivered with : 1 wall support



ERC21 (Mini MP190VV)
 Power : 250 W
 Voltage : Single phase
 Speed : Variable speed, 2,000-12,500 rpm
 Tube length : 19 cm, All stainless steel
 Delivered with : 1 wall support



ERC22 (Mini MP240VV)
 Power : 270 W
 Voltage : Single phase
 Speed : Variable speed, 2,000-12,500 rpm
 Tube length : 24 cm, All stainless steel
 Delivered with : 1 wall support



ERC99 (Micromix)
 Power : 220 W
 Voltage : Single phase
 Speed : Variable speed, 1,500-14,000 rpm
 Tube length : 16.5 cm, All stainless steel
 Delivered with : 1 wall support

HAND MIXERS



ERC12 (CMP250V)
 Power : 310 W
 Voltage : Single phase
 Speed : Variable speed, 2,300-9,600 rpm
 Speed self regulation system
 Tube length : 25 cm, All stainless steel
 Delivered with : 1 wall support



ERC15 (CMP300V)
 Power : 350 W
 Voltage : Single phase
 Speed : Variable speed, 2,300-9,600 rpm
 Speed self regulation system
 Tube length : 30 cm, All stainless steel
 Delivered with : 1 wall support



ERC24 (MP350 Ultra)
 Power : 440 W
 Voltage : Single phase
 Speed : 9,500 rpm
 Tube length : 35 cm, All stainless steel
 Delivered with : 1 wall support



ERC25 (MP350V Ultra)
 Power : 440 W
 Voltage : Single phase
 Speed : Variable speed, 1,500-9,000 rpm
 Speed self regulation system
 Tube length : 35 cm, All stainless steel
 Delivered with : 1 wall support



ERC51 (MP450 Ultra)
 Power : 500 W
 Voltage : Single phase
 Speed : 9,500 rpm
 Tube length : 45 cm, All stainless steel
 Delivered with : 1 wall support



ERC52 (MP450V Ultra)
 Power : 500 W
 Voltage : Single phase
 Speed : Variable speed, 1,500-9,000 rpm
 Speed self regulation system
 Tube length : 45 cm, All stainless steel
 Delivered with : 1 wall support



ERC50 (MP550 Ultra)
 Power : 750 W
 Voltage : Single phase
 Speed : 9,000 rpm
 Tube length : 55 cm, All stainless steel
 Delivered with : 1 wall support



ERC31 (MP600 Ultra)
 Power : 850 W
 Voltage : Single phase
 Speed : 9,000 rpm
 Tube length : 58 cm, All stainless steel
 Delivered with : 1 wall support

COMBI HAND MIXERS



ERC12 (CMP250 Combi)
 Power : 270 W
 Voltage : Single phase
 Speed : Variable speed, 2,300-9,600 rpm
 in mixer function, 500-1,800 rpm in whisk
 function, Speed self regulation system
 Tube length : 25 cm, All stainless steel
 Delivered with : 1 wall support



ERC14 (CMP300 Combi)
 Power : 300 W
 Voltage : Single phase
 Speed : Variable speed, 2300-9600 rpm
 in mixer function, 500-1800 rpm in whisk
 function, Speed self regulation system
 Tube length : 30 cm, All stainless steel
 Delivered with : 1 wall support

COMBI HAND MIXERS

ERC23 (MP350 Combi Ultra)
 Power : 440 W
 Voltage : Single phase
 Speed : Variable speed, 1,500-9,000 rpm
 in mixer function, 250-1,500 rpm in whisk
 function, Speed self regulation system
 Tube length : 35 cm, All stainless steel
 Delivered with : 1 wall support



ERC27 (MP450 Combi Ultra)
 Power : 500 W
 Voltage : Single phase
 Speed : Variable speed, 1,500-9,000 rpm
 in mixer function, 250-1,500 rpm in whisk
 function, Speed self regulation system
 Tube length : 45 cm, All stainless steel
 Delivered with : 1 wall support



ERC28 (MP450FW Ultra)
 Power : 500 W
 Voltage : Single phase
 Speed : Variable speed, 250-1,500 rpm,
 Speed self regulation system
 Tube length : 28 cm, All stainless steel
 Delivered with : 1 wall support



SLICERS

- Made of aluminium alloy treated with anodic oxidation.
- Belt drive.
- Built-in sharpener.
- For retail and collective catering.
- Controls with N.V.R. device.

MADE IN ITALY



ES5

(Suprema GSE250 Gravity)
 Slicer Diameter of the blade : 25 cm
 Cut thickness : 0 -1.5 cm
 Cut width : 0 -19 cm
 Dimensions : 44(w) x 39(h) x 29(d) cm
 Weight : 16 kg

ES6

(Suprema GC300 Gravity Slicer)
 Slicer Diameter of the blade : 30 cm
 Cut thickness : 0 -1.5 cm
 Cut width : 0 - 22 cm
 Dimensions : 52(w) x 44.5(h) x 40(d) cm
 Weight : 30 kg

Swedlinghaus Meat Slicer

Cutting thickness : 0 - 1.6 cm
 Voltage : 230V/50-60Hz
 @1 Phase

MADE IN ITALY



RT28



RT27

RT28

Specifications
 Power : 150W
 Blade : 25 cm
 Size : 53(w) x 45(d) x 44(h) cm
 Carriage dimensions : 22x23 cm
 Cutting capacity : 22x19 cm
 Weight : 16 kg

RT27

Specifications
 Power : 270W
 Blade : 25 cm
 Size : 71(w) x 56(d) x 54.5(h) cm
 Carriage stroke : 27 cm
 Cutting capacity : 25 x 20.5 cm
 Weight : 26.5 kg

PLANETARY MIXERS

SPAR

5 Litre



ED5

- Bowl capacity 5 litre
- 10 variable speeds control ranges from a very fast whip to a very slow stir
- Complete with 5 litre bowl
 1 beater
 1 whisk
 1 spiral hook
 1 pastry knife
- WxDxH
 31x40x45.5 cm

8 Litre



ED8

- 8 litre stainless steel bowl
- 3 Variable Speeds
- Digital timer
- Complete with 8 litre bowl
 1 whisk
 1 beater
 1 hook
- WxDxH
 36x47x66 cm

SPAR

20 Litre

**ED20**

- 20 litre stainless steel bowl
- 3 Variable Speeds
- Complete with 20 litre bowl
- 1 whisk
- 1 beater
- 1 hook
- WxDxH 51x 54x 84 cm

40 Litre

**ED40**

- 40 litre stainless steel bowl
- 3 Variable Speeds
- Complete with 40 litre bowl
- 1 whisk
- 1 paddle (leaf type)
- 1 hook
- WxDxH 56x63x110 cm

PLANETARY MIXERS

60 Litre

**ED60**

- 60 litre stainless steel bowl
- 3 Variable Speeds: Low (99 rpm) Intermediate (176 rpm) High (320 rpm)
- Complete with 60 litre bowl
- 1 flat beater
- 1 wire whip
- 1 spiral dough hook
- WxDxH 65x75x131cm

Accessories

For 5L Mixer

**ED51**

Bowl Guard

**ED5A**

Bowl Stainless Steel

For 20L Mixer



Beater



Whip



Spiral Hook



10 L

ED10A

10L Bowl with Spiral Hook, Whip, Beater